

SYSTEM PRIME CAST SOLID COLORED MULTI-LAYERED EPOXY FLOOR SYSTEM

system **2110**

PRIME CAST

SOLID COLORED MULTI-LAYERED EPOXY FLOOR SYSTEM

PRIME CAST 2110 is a 1/8" to 3/16" thick flooring system made of 100% solids pigmented epoxy and broadcast aggregates. It can be installed as a typical broadcast or as a slurry broadcast system and is available in any of Prime Coat's solid colors.

COMMON APPLICATIONS

2110 is typically installed over clean prepared concrete where a durable solid color finish is desired. It is designed as a cost effective concrete restoration topping over damaged concrete. Specific applications include, but are not limited to: manufacturing areas, aisle ways, mechanical repair areas, stamping and cutting rooms, food and beverage processing areas.

COMPONENTS

320 (329) / 339 / 322 / 401

LEED MATRIX [NC 2009]

	YES	NO
MRc1.1 Building Reuse	_/~	
MRc2 Construction Waste Management	~	
MRc4.1 Recycled Content		
MRc6 Rapidly Renewable Materials		✓
IEQc4.2 Low Emitting Materials	_/• _	










COLORS

For additional or custom system configurations, please contact your Prime Coat Consultant or call us at 877-362-5111.





In the unlikely event of a problem, a resolution is one phone call away with the assurance that the blame game will not be a part of the process. Our goal is to develop long lasting relationships with our customers.

WE PLEDGE TO DO WHATEVER WE CAN TO BRING OUR CUSTOMERS THE HIGHEST LEVEL OF SATISFACTION!