



system **2410**

PRIME CAST

SOLID COLORED URETHANE CONCRETE FLOORING SYSTEM

PRIME CAST 2410 is a solid-colored 1/4" thick chemically-resistant and slip-resistant urethane flooring system made especially for areas which are prone to swings in temperatures and/or thermal shock.

COMMON APPLICATIONS

Floor areas where durability cleanability and thermal shock are all critical performance characteristics. Typically installed over clean prepared concrete. Specific applications include, but are not limited to: Kitchens, Manufacturing, Prisons, Schools, Food and Chemical processing plants.

COMPONENTS

352SL / 331

LEED MATRIX [NC 2009]

	YES	NO
MRc1.1 Building Reuse		
MRc2 Construction Waste Management	✓	
MRc4.1 Recycled Content		
MRc6 Rapidly Renewable Materials	/	
IEQc4.2 Low Emitting Materials	_ /	










COLORS

For additional or custom system configurations, please contact your Prime Coat Consultant or call us at 877-362-5111.

Please note:

Only CO1 Gun Powder Gray, C12 Tile Red and C13 Fawn Beige are available in base system or with optional 352D topcoat. All colors available with optional 421 topcoat.

Only C18 White, C03 Light Gray or C14 Tan available with optional 500 topcoat.





In the unlikely event of a problem, a resolution is one phone call away with the assurance that the blame game will not be a part of the process. Our goal is to develop long lasting relationships with our customers.

WE PLEDGE TO DO WHATEVER WE CAN TO BRING OUR CUSTOMERS THE HIGHEST LEVEL OF SATISFACTION!