



system **3611** 

## PRIME ARMOR

FLAKE FINISHED BROADCAST OVER EPOXY MORTAR FLOOR SYSTEM

PRIME ARMOR 3611 consists of a decorative flake system combined with a 100% solids epoxy mortar. 3611 is formulated for areas with high impact or for renovation work where the slab condition will not allow the installation of a standard flake broadcast.



Floor areas where a durable and decorative finish is desired. Specific applications include, but are not limited to: lobbies, corridors, clean rooms, animal care facilities, schools, research laboratories, vivariums, health care facilities and hospitals.

## COMPONENTS

310 / 324 / 320 / 339 / 327 / 440


## LEED MATRIX [NC 2009]

	YES	NO
MRc1.1 Building Reuse		
MRc2 Construction Waste Management	<b>~</b>	
MRc4.1 Recycled Content		
MRc6 Rapidly Renewable Materials		
IEQc4.2 Low Emitting Materials		









COLORS

For additional or custom system configurations, please contact your Prime Coat Consultant or call us at 877-362-5111.





405 N Oakwood Ave | Waukegan IL 60085

(847) 362-5111 | primecoat.com

In the unlikely event of a problem, a resolution is one phone call away with the assurance that the blame game will not be a part of the process. Our goal is to develop long lasting relationships with our customers.

WE PLEDGE TO DO WHATEVER WE CAN TO BRING OUR CUSTOMERS THE HIGHEST LEVEL OF SATISFACTION!