

**Prime Coat**  
COATING SYSTEMS™



SYSTEM

# PRIME FLEX

RANDOM OR FULL FLAKE FLEXIBLE WALL SYSTEM

system  
**4602**

**PRIME FLEX 4602** is an elastomeric wall coating system that combines the backbone of our epoxy systems with the toughness found in our urethane systems and adds to it a decorative flare. The result is an energy absorbing flake wall system that will bend but not break and look great while doing it!

## COMMON APPLICATIONS

4602 may be installed over a variety of substrates. It may also be installed over damaged concrete. Specific applications include, but are not limited to: animal hospitals, clinics and zoos, educational recreation areas, rehabilitation centers and hallways.


## COMPONENTS

620 / 339 / 327 / 625

## LEED MATRIX [NC 2009]

	YES	NO
MRc1.1 Building Reuse	✓	
MRc2 Construction Waste Management	✓	
MRc4.1 Recycled Content		✓
MRc6 Rapidly Renewable Materials	✓	
IEQc4.2 Low Emitting Materials	✓	





## OPTIONS

**Cove Bases:** Not Available

**Colors:** see back panel

	A	B	C
<b>Texture</b>	✓		

Prime Coat offers 3 categories of finish Textures. Texture A is our smoothest finish. Texture B is our mid-level slip resistant finish and Texture C is our highest level slip resistant finish. Custom textures can be engineered to meet specific design requirements. A mock up is recommended as the best way to ensure customer satisfaction.

**Antimicrobial:** Available

**Waterproofing Membrane:** Not Available

# SYSTEM

4602

## COLORS

For additional or custom system configurations, please contact your Prime Coat Consultant or call us at **877-362-5111**.



### PRIME COAT COATING SYSTEMS

405 N Oakwood Ave | Waukegan IL 60085  
(847) 362-5111 | primecoat.com

4602-02-13



In the unlikely event of a problem, a resolution is one phone call away with the assurance that the blame game will not be a part of the process. Our goal is to develop long lasting relationships with our customers.

**WE PLEDGE TO DO WHATEVER WE CAN TO BRING OUR CUSTOMERS THE HIGHEST LEVEL OF SATISFACTION!**