

**Prime Coat**  
COATING SYSTEMS™



SYSTEM

# SEAMLESS

PATENTED SEAMLESS COATING SYSTEM FOR  
FOOD AND BEVERAGE FACILITIES

system  
**5633**

**SEAMLESS SYSTEM 5633** is a time-tested process for creating a 100% solids epoxy seamless enclosure for walls, ceilings and floors where sanitation and a bacteria free environment are paramount. 5633 features a decorative quartz broadcast for flooring and an impenetrable 50 – 60 mil chopped strand fiberglass-reinforced wall and ceiling component.

## COMMON APPLICATIONS

The Seamless System is a patented process designed to go over almost any structural substrate. It is applied to walls, floors and ceilings as a single process. Specific applications include, but are not limited to: food and beverage manufacturing, institutional kitchens, light service animal holding and research, health care facilities and hospitals.

## COMPONENTS


Floors: 320 / 321 / 440

Walls and Ceilings: 630 / 200 / 400

## LEED MATRIX [NC 2009]

	YES	NO
MRc1.1 Building Reuse	✓	
MRc2 Construction Waste Management	✓	
MRc4.1 Recycled Content		✓
MRc6 Rapidly Renewable Materials		✓
IEQc4.2 Low Emitting Materials	✓	





## OPTIONS

**Cove Bases:** Included

**Colors:** see back panel

Texture	A	B	C
Walls/Ceiling	✓		
Floor	✓	✓	

Prime Coat offers 3 categories of finish Textures. Texture A is our smoothest finish. Texture B is our mid-level slip resistant finish and Texture C is our highest level slip resistant finish. Custom textures can be engineered to meet specific design requirements. A mock up is recommended as the best way to ensure customer satisfaction..

**Antimicrobial:** Available

**Waterproofing Membrane:** Available

### Topcoats:

- 500** Polyaspartic urethane, greater UV resistance
- 509** Aliphatic urethane, superior chemical and abrasion resistance, great color retention, solvent based
- 511/512** Waterborne urethane in Gloss, Satin and Matte, very good gloss retention, good chemical and abrasion resistance, LEED compliant

**SYSTEM  
5633**

**COLOR**

For additional or custom system configurations, please contact your Prime Coat Consultant or call us at **877-362-5111**.

**WALLS AND CEILING:**



**FLOORS:**



**PRIME COAT COATING SYSTEMS**  
405 N Oakwood Ave | Waukegan IL 60085  
(847) 362-5111 | primecoat.com

5633-10/11



In the unlikely event of a problem, a resolution is one phone call away with the assurance that the blame game will not be a part of the process. Our goal is to develop long lasting relationships with our customers.

**WE PLEDGE TO DO WHATEVER WE CAN TO BRING OUR CUSTOMERS THE HIGHEST LEVEL OF SATISFACTION!**